
remoTES: A new design for the cryogenic NaI detectors of the COSINUS experiment

L. Einfalt^{1,2*}, G. Angloher³, M.R. Bharadwaj³, I. Dafinei⁴, N. Di Marco^{5,6}, F. Ferroni^{4,5}, S. Fichtinger¹, A. Filipponi^{6,7}, T. Frank³, M. Friedl¹, A. Fuss^{1,2}, Z. Ge⁸, M. Heikinheimo⁹, K. Huitu⁹, M. Kellermann³, R. Maji^{1,2}, M. Mancuso³, L. Pagnanini^{5,6}, F. Petricca³, S. Pirro⁶, F. Pröbst³, G. Profeta^{6,7}, A. Puiu^{5,6}, F. Reindl^{1,2}, K. Schäffner³, J. Schieck^{1,2}, D. Schmiedmayer^{1,2}, C. Schwertner^{1,2}, M. Stahlberg³, A. Stendahl⁹, M. Stukel⁵, F. Wagner¹, S. Yue⁸, V. Zema³, Y. Zhu⁸

1 Institut für Hochenergiephysik der Österreichischen Akademie der Wissenschaften, 1050 Wien - Austria

2 Atominstitut, Technische Universität Wien, 1020 Wien - Austria

3 Max-Planck-Institut für Physik, 80805 München - Germany

4 INFN - Sezione di Roma, 00185 Roma - Italy

5 Gran Sasso Science Institute, 67100 L'Aquila - Italy

6 INFN - Laboratori Nazionali del Gran Sasso, 67010 Assergi - Italy


7 Dipartimento di Scienze Fisiche e Chimiche, Università degli Studi dell'Aquila, 67100 L'Aquila - Italy

8 SICCAS - Shanghai Institute of Ceramics, Shanghai - PR.China 200050

9 Helsinki Institute of Physics, 00560 Helsinki - Finland

* Corresponding author, leonie.einfalt@oeaw.ac.at

October 3, 2022



14th International Conference on Identification of Dark Matter
Vienna, Austria, 18-22 July 2022
doi:[10.21468/SciPostPhysProc.7](https://doi.org/10.21468/SciPostPhysProc.7)

Abstract

The increasing statistical significance of the DAMA/LIBRA annual modulation signal is a cause for tension in the field of dark matter direct detection. The COSINUS experiment aims at a model-independent cross check of the DAMA/LIBRA signal claim, using NaI crystals operated as cryogenic scintillating calorimeters at mili-Kelvin temperatures. Such a setup enables measurement of phonon and scintillation light signals via Transition Edge Sensors (TESs) and allows particle discrimination on an event-by-event basis. The non-standard properties of NaI cause an obstacle when attaching a TES directly onto the surface of the crystal. This can be overcome with the “remoTES” design, where the TES is attached to an external wafer crystal. We present the results from a first successful operation of NaI and other crystals as cryogenic calorimeters with the remoTES design.

1 Introduction

Astronomical and cosmological observations imply that 26 % of the universe’s mass content is composed of non-luminous and non-baryonic dark matter (DM) [1]. The nature of DM is still unknown and yields one of the major open questions in modern physics. Various new fundamental particles and extensions to the Standard Model have been proposed as DM candidates [2, 3], among those, weakly interacting massive particles (WIMPs) are favored by the DM direct detection community [4].

Despite immense experimental effort, no convincing DM signal has been observed until today and the DM hypothesis has been ruled out for most excess signals seen by experiments such as XENON [5] or CRESST [6]. However, there is one long-standing signal claim remaining, namely by the DAMA/LIBRA experiment [7, 8]. DAMA’s claim is based on the hypothesis, that, due to Earth’s motion within the Milky Way, the DM rate should be subject to an annual modulation. In the last 25 years DAMA/LIBRA has continuously observed such a modulation with period and phase in-line with the DM hypothesis. By today, the statistical significance of the signal has reached over 13σ in the 1-6 keVee energy range. However, the region of the parameter space corresponding to the DAMA signal under the standard scenario assumptions has been ruled out by the null results of various other experiments [9]. In order to perform a model-independent investigation of the DAMA/LIBRA signal, it is mandatory to utilize the same target material, sodium iodide (NaI) [9, 10]. Alongside other planned and active experiments - such as SABRE [11], COSINE [12] and ANAIS [13] - the COSINUS (Cryogenic Observatory for Signatures seen in Next-generation Underground Searches) experiment aims at such a model-independent test of the DAMA/LIBRA signal claim [14].

In contrast to its competitors, COSINUS will operate NaI crystals as cryogenic scintillating calorimeters, cooled down to milli-Kelvin temperatures and read out by Transition Edge Sensors (TESs). With this detector setup, each particle interaction in the detector material leads to both a phonon/heat and a light signal. While the particle-independent phonon signal gives a measure of the total deposited energy in the crystal, the scintillation signal is subject to light-quenching and allows for particle discrimination. The COSINUS setup thus enables separation of nuclear recoils (possible DM signal) from the electron/gamma-background (e/γ) on an event-by-event basis.

To absorb and measure the scintillation light, the NaI crystals will be placed in a beaker-shaped silicon-detector equipped with a tungsten TES (W-TES) thermometer as developed and refined by the CRESST collaboration [15]. For measurement of the heat signal, direct fabrication of the TES thermometer onto the absorber crystal would ensure excellent transmission of the non-thermal phonons to the W-film. Unfortunately, this production procedure is not possible for NaI as the crystals are soft, hygroscopic and have a low melting point. The COSINUS collaboration thus developed the so called *remoTES*, where the TES is instead placed on a remote wafer crystal which is connected to the absorber. This detector design is described in detail in section 2. Several R&D measurements have been performed with *remoTES* detectors and different absorber materials, the results of which are summarized in section 3. Finally, in section 4 we conclude and give an outlook on future work planned regarding setup and detector design of COSINUS.

2 *remoTES* detector design

The idea behind the *remoTES* detector was first proposed by M. Pyle et al. [16] as a simple and reproducible alternative to the direct fabrication of TESs onto absorber crystals. The COSINUS implementation of the *remoTES* detector is schematically depicted in Figure 1, showing both

81 the absorber and wafer crystal [17]. The fabrication intensive W-TES is attached to the wafer-
 82 like separate crystal and connected to the heat bath via a gold thermal link. The absorber
 83 crystal itself is connected to the TES via a system of gold pads and gold bonding wire(s). Any
 84 signal created by thermal and athermal phonons in the absorber crystal is then transmitted
 85 to the TES via electron-phonon coupling in the gold pad. Although the heat capacity of the
 86 gold pad and wire bond is diminishing the overall created signal, the factor ten higher electron-
 87 phonon coupling in gold compared to tungsten [16, 18] is expected to compensate for this loss.
 88 Moreover, the *remoTES* design avoids signal loss due to acoustic mismatch between different
 89 materials, as would occur in the so-called *composite design* which has been previously suggested
 90 and probed by the COSINUS collaboration [19].




Figure 1: Schematics of a *remoTES* phonon detector. The TES is directly fabricated onto the wafer crystal (light blue, right), which is connected via a combination of gold pads and gold bonding wire to the absorber crystal (darker blue, left).

91 While the application of the W-TES to the wafer crystal (Al_2O_3 in all prototypes) is a stan-
 92 dardised procedure, the specifics of the remaining *remoTES* design vary between different
 93 prototypes. In this work we present the construction details and results of three different pro-
 94 totypes, featuring silicon (Si, 2.33g), tellurium dioxide (α - TeO_2 , 2.27g) and sodium iodide
 95 (NaI, 3.67g) absorber crystals. The process of attaching the gold pad to the absorber crystal
 96 can be adapted to the physical and chemical properties of the crystal. The same is true for
 97 the method of attaching the gold wire to the pad on the absorber, as standard wedge- or ball-
 98 bonding may not be possible for soft and fragile absorber crystals. The details of the *remoTES*
 99 design for each of the three prototype absorbers are summarised in Table 1.

100 3 Results from prototype measurements

101 The two measurements with Si and TeO_2 absorber crystals were performed at an above-ground
 102 wet dilution refrigerator of the CRESST group at the Max-Planck Institute for Physics in Mu-
 103 nich. The most recent measurement of a NaI *remoTES*, reported here, was instead performed
 104 at the CRESST test cryostat located at the INFN Gran Sasso Underground Laboratory (LNGS).
 105 Specifics of the setup and the analysis chain for the above ground runs can be found in [17].
 106 For the NaI underground run, where the *remoTES* was operated in a module together with a
 107 beaker-shaped Si light detector, the analysis chain is comparable. In all runs at least two types
 108 of particle pulse event classes could be observed, one for hits in the absorber crystal and one
 109 for hits in the wafer crystal. More detail on these event classes and the discrimination process
 110 can be found again in Ref. [17].

| Absorber material | Au-pad properties | Au-wire properties | Baseline resolution (eV) |
|---|--|--|--------------------------|
| Si 20x10x5 mm ³ | <ul style="list-style-type: none"> • 3mm diameter • 200 nm thickness • Magnetron-sputtering | <ul style="list-style-type: none"> • glued to absorber Au-pad with silver-loaded epoxy • 17 μm thick wire | 87.8 ± 5.6 eV |
| TeO ₂ 20x10x2 mm ³ | <ul style="list-style-type: none"> • 400 nm thick foil • glued onto absorber with two-component epoxy resin | <ul style="list-style-type: none"> • wedge bonded to absorber Au-pad • 17 μm thick wire | 193.5 ± 3.1 eV |
| NaI 10x10x10 mm ³ | <ul style="list-style-type: none"> • 1 μm thick foil • glued onto absorber with two-component epoxy resin | <ul style="list-style-type: none"> • wedge bonded to absorber Au-pad • 17 μm thick wire | 373 ± 16.3 eV |

Table 1: Specifics and baseline resolutions of the three prototype *remoTES* detectors used in the presented measurements.

111 In all runs ⁵⁷Co and ⁵⁵Fe sources were used for the energy calibration. The X-rays of 5.89
112 keV (K_{α}) and 6.49 keV (K_{β}) produced by the ⁵⁵Fe-source can be seen in the spectra for the Si
113 and TeO₂ measurements shown in [Figure 2](#). For a measurement with the NaI absorber, which
114 included a neutron source (AmBe), we show the combined result of light and *remoTES* phonon
115 signal in a so called light yield plot. The 2D histogram in [Figure 3](#) shows the total recoil energy
116 as measured by the *remoTES* on the x-axis and the light yield $LY = \frac{\text{light signal}}{\text{phonon signal}}$ on the y-axis.
117 In this presentation of the data, light quenching takes full effect and one can discriminate the
118 e/γ events, at a light yield of one, from the quenched nuclear recoil events. The events visible
119 between the two bands at energies higher than 50 keV can be attributed to inelastic recoils off
120 iodine nuclei, whereas the dense population of events around 6 keV are X-rays produced by
121 the ⁵⁵Fe source.

122 For all measurements the baseline resolution is determined following the well-established
123 procedure described in [17] and can be found in [Table 1](#). The threshold of the detectors can
124 be estimated as five times the baseline resolution.

125 4 Conclusion and outlook

126 Through various prototype measurements we have shown, that the *remoTES* detector design
127 gives an easy-to-fabricate alternative to the direct deposition of TESs onto absorber materials.
128 The successful operation of a *remoTES* with a NaI absorber crystal, enabling particle discrimi-
129 nation, was an important milestone for the COSINUS experiment. With an achieved baseline
130 resolution of under 400 eV, corresponding to a true recoil energy threshold of <2 keV, the de-
131 tector prototypes are closing in onto the final design goal of a 1 keV threshold. While work is
132 ongoing within the collaboration to refine the design of the detector modules (*remoTES* plus
133 Si beaker light detector), the construction of the experimental setup is currently taking place
134 in Hall B of LNGS. The first phase of data taking with the COSINUS experiment is planned to
135 start in autumn 2023, and the first DM results are expected by the end of 2024.




Figure 2: Energy spectra of two *remoTES* detectors exposed to a ^{55}Fe source: (a) Si and (b) TeO2 absorber.




Figure 3: 2D histogram of phonon signal versus light yield for a NaI *remoTES* measurement with a neutron source (AmBe). The e/γ at a light yield of one is clearly separated from the nuclear recoil events at lower light yields.

136 References

- 137 [1] N. Aghanim, Y. Akrami, M. Ashdown, J. Aumont, C. Baccigalupi, M. Ballardini, A. J. Ban-
 138 day, R. B. Barreiro, N. Bartolo, S. Basak, R. Battye, K. Benabed *et al.*, *Planck 2018 results*,
 139 *Astronomy & Astrophysics* **641**, A6 (2020), doi:[10.1051/0004-6361/201833910](https://doi.org/10.1051/0004-6361/201833910).
- 140 [2] M. Cirelli, N. Fornengo and A. Strumia, *Minimal dark matter*, *Nuclear Physics B* **753**(1-2)
 141 (2006), doi:[10.1016/j.nuclphysb.2006.07.012](https://doi.org/10.1016/j.nuclphysb.2006.07.012).
- 142 [3] G. Arcadi, M. Dutra, P. Ghosh, M. Lindner, Y. Mambrini, M. Pierre, S. Profumo and F. S.
 143 Queiroz, *The waning of the WIMP? a review of models, searches, and constraints*, *The*
 144 *European Physical Journal C* **78**(3) (2018), doi:[10.1140/epjc/s10052-018-5662-y](https://doi.org/10.1140/epjc/s10052-018-5662-y).
- 145 [4] B. W. Lee and S. Weinberg, *Cosmological lower bound on heavy-neutrino masses*, *Phys.*
 146 *Rev. Lett.* **39**, 165 (1977), doi:[10.1103/PhysRevLett.39.165](https://doi.org/10.1103/PhysRevLett.39.165).

- 147 [5] E. Aprile, K. Abe, F. Agostini, S. A. Maouloud, L. Althueser, B. Andrieu, E. Angelino, J. R.
148 Angevaere, V. C. Antochi, D. A. Martin, F. Arneodo, L. Baudis *et al.*, *Search for new physics*
149 *in electronic recoil data from XENONnT*, doi:[10.48550/ARXIV.2207.11330](https://doi.org/10.48550/ARXIV.2207.11330) (2022).
- 150 [6] G. Angloher, S. Banik, G. Benato, A. Bento, A. Bertolini, R. Breier, C. Bucci, L. Canonica,
151 A. D’Addabbo, S. Di Lorenzo, L. Einfalt, A. Erb *et al.*, *Latest observations on the low energy*
152 *excess in CRESST-III*, doi:[10.48550/ARXIV.2207.09375](https://doi.org/10.48550/ARXIV.2207.09375) (2022).
- 153 [7] R. Bernabei, P. Belli, F. Cappella, V. Caracciolo, S. Castellano, R. Cerulli, C. J. Dai,
154 A. d’Angelo, S. d’Angelo, A. D. Marco, H. L. He, A. Incicchitti *et al.*, *Final model indepen-*
155 *dent result of DAMA/LIBRA-phase1*, *The European Physical Journal C* **73**(12) (2013),
156 doi:[10.1140/epjc/s10052-013-2648-7](https://doi.org/10.1140/epjc/s10052-013-2648-7).
- 157 [8] R. Bernabei, P. Belli, A. Bussolotti, F. Cappella, V. Caracciolo, R. Cerulli, C. Dai,
158 A. d’Angelo, A. D. Marco, H. He, A. Incicchitti *et al.*, *First model independent results*
159 *from DAMA/LIBRA-phase2*, *Nuclear Physics and Atomic Energy* **19**(4), 307 (2018),
160 doi:[10.15407/jnpae2018.04.307](https://doi.org/10.15407/jnpae2018.04.307).
- 161 [9] J. Billard, M. Boulay, S. Cebrián, L. Covi, G. Fiorillo, A. Green, J. Kopp, B. Majorovits,
162 K. Palladino, F. Petricca, L. R. (chair) and M. Schumann, *Direct detection of dark mat-*
163 *ter APPEC committee report*, *Reports on Progress in Physics* **85**(5), 056201 (2022),
164 doi:[10.1088/1361-6633/ac5754](https://doi.org/10.1088/1361-6633/ac5754).
- 165 [10] F. Kahlhoefer, F. Reindl, K. Schäffner, K. Schmidt-Hoberg and S. Wild, *Model-independent*
166 *comparison of annual modulation and total rate with direct detection experiments*, *Jour-*
167 *nal of Cosmology and Astroparticle Physics* **2018**(05), 074 (2018), doi:[10.1088/1475-](https://doi.org/10.1088/1475-7516/2018/05/074)
168 [7516/2018/05/074](https://doi.org/10.1088/1475-7516/2018/05/074).
- 169 [11] M. Antonello, E. Barberio, T. Baroncelli, J. Benziger, L. J. Bignell, I. Bolognino,
170 F. Calaprice, S. Copello, D. D’Angelo, G. D’Imperio, I. Dafinei, G. D. Carlo *et al.*, *The*
171 *SABRE project and the SABRE proof-of-principle*, *The European Physical Journal C* **79**(4)
172 (2019), doi:[10.1140/epjc/s10052-019-6860-y](https://doi.org/10.1140/epjc/s10052-019-6860-y).
- 173 [12] G. Adhikari, E. B. de Souza, N. Carlin, J. J. Choi, S. Choi, M. Djamal, A. C. Ezeribe, L. E.
174 França, C. H. Ha, I. S. Hahn, E. Jeon, J. H. Jo *et al.*, *Strong constraints from cosine-100*
175 *on the dama dark matter results using the same sodium iodide target*, *Science Advances*
176 **7**(46), eabk2699 (2021), doi:[10.1126/sciadv.abk2699](https://doi.org/10.1126/sciadv.abk2699), [https://www.science.org/doi/](https://www.science.org/doi/pdf/10.1126/sciadv.abk2699)
177 [pdf/10.1126/sciadv.abk2699](https://www.science.org/doi/pdf/10.1126/sciadv.abk2699).
- 178 [13] J. Amaré, S. Cebrián, D. Cintas, I. Coarasa, E. García, M. Martínez, M. A. Oliván, Y. Or-
179 tigoza, A. O. de Solórzano, J. Puimedón, A. Salinas, M. L. Sarsa *et al.*, *Annual modu-*
180 *lation results from three-year exposure of anais-112*, *Phys. Rev. D* **103**, 102005 (2021),
181 doi:[10.1103/PhysRevD.103.102005](https://doi.org/10.1103/PhysRevD.103.102005).
- 182 [14] G. Angloher, P. Carniti, L. Cassina, L. Gironi, C. Gotti, A. Gütlein, D. Hauff, M. Maino, S. S.
183 Nagorny, L. Pagnanini, G. Pessina, F. Petricca *et al.*, *The COSINUS project: perspectives of*
184 *a NaI scintillating calorimeter for dark matter search*, *The European Physical Journal C*
185 **76**(8) (2016), doi:[10.1140/epjc/s10052-016-4278-3](https://doi.org/10.1140/epjc/s10052-016-4278-3).
- 186 [15] A. H. Abdelhameed, G. Angloher, P. Bauer, A. Bento, E. Bertoldo, C. Bucci, L. Canon-
187 ica, A. D’Addabbo, X. Defay, S. Di Lorenzo, A. Erb, F. v. Feilitzsch *et al.*, *First results*
188 *from the CRESST-III low-mass dark matter program*, *Phys. Rev. D* **100**, 102002 (2019),
189 doi:[10.1103/PhysRevD.100.102002](https://doi.org/10.1103/PhysRevD.100.102002).

- 190 [16] M. Pyle, E. Figueroa-Feliciano and B. Sadoulet, *Optimized designs for very low temperature*
191 *massive calorimeters*, doi:[10.48550/ARXIV.1503.01200](https://doi.org/10.48550/ARXIV.1503.01200) (2015).
- 192 [17] COSINUS Collaboration, G. Angloher, M. R. Bharadwaj, I. Dafinei, N. Di Marco, L. Einfalt,
193 F. Ferroni, S. Fichtinger, A. Filipponi, T. Frank, M. Friedl, A. Fuss *et al.*, *First measurements*
194 *of remotes cryogenic calorimeters: easy-to-fabricate particle detectors for a wide choice of*
195 *target materials*, doi:[10.48550/ARXIV.2111.00349](https://doi.org/10.48550/ARXIV.2111.00349) (2021).
- 196 [18] W. A. Little, *The transport of heat between dissimilar solids at low temperatures*, *Canadian*
197 *Journal of Physics* **37**(3), 334 (1959), doi:[10.1139/p59-037](https://doi.org/10.1139/p59-037).
- 198 [19] K. Schäffner, G. Angloher, P. Carniti, L. Cassina, L. Gironi, C. Gotti, A. Gütlein, M. Man-
199 cuso, N. D. Marco, L. Pagnanini, G. Pessina, F. Petricca *et al.*, *A NaI-based cryogenic*
200 *scintillating calorimeter: Results from a COSINUS prototype detector*, *Journal of Low Tem-*
201 *perature Physics* **193**(5-6), 1174 (2018), doi:[10.1007/s10909-018-1967-3](https://doi.org/10.1007/s10909-018-1967-3).