

# The High Intensity Proton Accelerator Facility

J. Grillenberger<sup>1</sup>, C. Baumgarten<sup>1</sup>, M. Seidel<sup>1</sup>

<sup>1</sup> Paul Scherrer Institut, 5232 Villigen PSI, Switzerland

\* joachim.grillenberger@psi.ch

July 27, 2021



*Review of Particle Physics at PSI*  
doi:[10.21468/SciPostPhysProc.2](https://doi.org/10.21468/SciPostPhysProc.2)

## Abstract

The High Intensity Proton Accelerator Facility at PSI routinely produces a proton beam with up to 1.4 MW power at a kinetic energy of 590 MeV. The beam is used to generate neutrons in spallation targets, and pions in meson production targets. The pions decay into muons and neutrinos. Pions and muons are used for condensed matter and particle physics research at the intensity frontier. This section presents the main physics and technology concepts utilized in the facility. It includes beam dynamics and the control of beam losses and activation, power conversion, efficiency aspects, and performance figures, including the availability of the facility.

## 2.1 Introduction

The original proposal for the accelerator facility that is now known as the PSI high intensity proton accelerator (HIPA)<sup>1</sup>, was completed 1963 [2]. The objective was to produce a proton beam of several tens of microampere with an extraction rate higher than 50% and an energy above 450 MeV, with the main goal to produce  $\pi$ -mesons and muons<sup>2</sup>. The final beam energy was later raised to  $\geq 580$  MeV and the specified beam current raised to  $100 \mu\text{A}$  [3]. The main accelerator is the ring cyclotron, an isochronous proton machine with eight separate magnet sectors and four main accelerating cavities operating at 50.6 MHz. The Ring cyclotron is designed to accelerate an injected 72 MeV proton beam to 590 MeV. The first pre-accelerator, called the Injector I cyclotron, was designed and constructed by Philips (Eindhoven). Injector I was a multi-purpose machine, that accelerated protons up to 72 MeV with a maximal extracted current of  $I_{max} \leq 180 \mu\text{A}$ , and also light ions for nuclear physics research. After one year of operation, in 1975, the highest beam current on target was  $25 \mu\text{A}$ . The performance of the Ring cyclotron was steadily improved, especially the extraction efficiency. In December 1976 an extraction efficiency of 99.9% (Ring) and of 85% (Injector I) was achieved. The peak intensity was raised within two years from  $12 \mu\text{A}$  to  $112 \mu\text{A}$  [4]. The beam current was limited by the 9% beam losses at the extraction of Injector I and the resulting activation of components. Injector I was also used for low-energy experiments. During these experiments, Injector I was not available as a proton driver for the Ring cyclotron. Injector I was not able to deliver beam currents higher than about  $180 \mu\text{A}$  (originally  $100 \mu\text{A}$  specified), while the performance of the Ring cyclotron indicated the capability for much higher currents with low losses. Therefore, studies for an upgrade of the Ring cyclotron with a flattop cavity and a new injector cyclotron with a Cockcroft-Walton type pre-accelerator for beam currents of up to 1 mA were in progress

<sup>1</sup>Formerly named the *Isochronous Cyclotron Meson Factory of ETH Zurich* [1], then the Schweizerische Institut für Nuklearforschung (S.I.N.) Ring Cyclotron.

<sup>2</sup>The term *meson* production targets was established for historical reasons - even though muons are leptons.




Figure 2.1: Layout of the High Intensity Proton Accelerator facility at the Paul Scherrer Institute.

39 while the commissioning was still ongoing [5]. At this stage, it was estimated that the Ring  
 40 cyclotron had the potential to accelerate currents of up to 2–4 mA [6]. The proposal to use two  
 41 pre-accelerators, a 860 keV Cockcroft-Walton type accelerator followed by the new Injector II  
 42 cyclotron, was approved in 1978.

43 The protons have been produced by a compact small electron cyclotron resonance source  
 44 since 2010 with a 60 kV extraction system [7]. Two solenoids are used to focus the extracted  
 45 protons onto a collimator. Hydrogen ions ( $H_2^+$  and  $H_3^+$ ), which are extracted as well, are only  
 46 weakly focused due to their lower charge-to-mass ratio, and are stopped. The protons are  
 47 accelerated in three stages. A Cockcroft-Walton DC linear accelerator, shown left in Figure 2.1,  
 48 is used to pre-accelerate the DC proton beam to 0.87 MeV as required for the injection into the  
 49 first turn of the Injector II cyclotron. The beamline is equipped with a bunching system a few  
 50 meter upstream of the axial injection line, to match the beam phase space to the acceptance  
 51 of Injector II. Injector II accelerates the pre-bunched beam with two high-voltage double-gap  
 52 resonators<sup>3</sup> to an energy of 72 MeV within 80 turns. The extracted beam is then sent to an  
 53 electrostatic beam splitter, where up to 100  $\mu$ A can be split off for the production of radio-  
 54 isotopes. The main part of the beam is injected into the Ring cyclotron with an electrostatic  
 55 inflection channel. Eight normal-conducting magnets keep the particles' on their spiral path  
 56 in the cyclotron. Four 50.6 MHz cavities accelerate the beam to its final kinetic energy of  
 57 590 MeV. After about 180 turns in the cyclotron, the beam is extracted with an electrostatic  
 58 element (see Figure 2.2) and sent to the meson production targets [8]. These targets are  
 59 made of graphite and limited in thickness so that the beam loses only a small fraction of its  
 60 energy. After passing through a collimation system, needed due to multiple scattering in the  
 61 meson production targets, roughly 60 (70) % of the beam current is left for a target thickness  
 62 of 60(40) mm, and is then sent to the neutron spallation source SINQ [9–13]. If SINQ is not  
 63 ready for beam, the beam is sent to the 590 MeV beam dump. Due to cooling issues, the beam  
 64 current is limited to 1.6(2.0) mA on a 40(60) mm thick meson production target. The Ultracold  
 65 Neutron Source (UCN) has been in operation since 2011 [14–19]. A fast kicker magnet just  
 66 upstream of the meson production targets deflects the beam for a short time between 2 and

<sup>3</sup>A double-gap resonator is equivalent to a conventional Dee with two accelerating areas (gaps). In contrast the PSI Ring cyclotron uses hollow "single-gap" cavities.




Figure 2.2: Pictures of the electrostatic extraction channel EEC without (left) and with attached aluminium shroud (right). The red arrow denotes the beam passing through the channel. The dashed part of the arrow denotes the parts where the beam passes through in between the grounded tungsten stripes and the aluminium cathode. The electric field of 8 – 10 MV/m deflects the beam by 8 mrad on 920 mm effective length so it can be extracted from the cyclotron by a subsequent septum magnet.

67 8 s to the UCN facility [20]. The duty cycle is restricted to a maximum of 3%.

68 The intention of this article is to present performance figures for the accelerator together  
 69 with the main physics and technology concepts utilized in the facility. This includes beam  
 70 dynamics and space charge effects in the cyclotrons, the control of beam losses and activation,  
 71 power conversion, and efficiencies. While some of these topics are relevant only for cyclotrons,  
 72 many themes are discussed that are important for any type of high intensity proton accelerator.  
 73 In the following sections, the basic physics and main parameters of the three accelerators are  
 74 described.

## 75 2.2 Injector II

76 The Injector II cyclotron was designed for high current operation, 1 mA and above, with min-  
 77 imal extraction losses. High extraction efficiency in a cyclotron demands a large turn separa-  
 78 tion. This can be achieved by the combination of high accelerating voltage, large radius, large  
 79 gap magnets and low energy spread. To counter the strong defocusing space charge forces, a  
 80 high vertical ("axial") betatron-tune<sup>4</sup> is required. Hence Injector II was designed as a low-field  
 81 separate sector machine using four wedge sectors. The sector magnets leave space for two  
 82 high-voltage double-gap resonators operating at the 10th harmonic of the orbital frequency  
 83 and two single-gap flat-top resonators to minimize the energy spread. Since the injection  
 84 energy of 870 keV is well below the Coulomb threshold, the first few turns can be used to  
 85 collimate the beam and clean up halo [21].

86 M.M. Gordon was the first to recognize that space charge in isochronous cyclotrons can lead  
 87 to (as he called it) "vortex motion" [22]. Later Chabert, Luong and Promé as well as Chasman  
 88 and Baltz backed this up theoretically [23, 24]. Numerical simulations, performed by Adam,  
 89 Koscielniak, Adelman and others, confirmed this effect [25–28]. The vortex effect can lead  
 90 to increased halo formation and bunch "breakup". This has been experimentally investigated  
 91 by Pozdeyev *et al* in the *small isochronous ring* (SIR) experiment [29]. The beam breaks up  
 92 only if it is long initially and the breakup typically generates a number of self-sustaining round  
 93 sub-bunches [29]. In case of a single initially short and compact bunch, the vortex effect stabi-  
 94 lizes the bunch: the space charge induces a coupling between the longitudinal and horizontal

<sup>4</sup>The "tune" is the number of vertical or horizontal oscillations of a particle per turn and characterizes the strength of vertical/horizontal focusing. Isochronous cyclotrons have, in contrast to synchrotrons, no intrinsic longitudinal focusing.

95 motion that generates a weak (but non-zero) longitudinal focusing, an effect that can be under-  
96 stood with an analysis of the linear coupling terms of an isochronous cyclotron [30], although  
97 this is somewhat counter-intuitive. The usefulness of the self-focusing was discovered by the  
98 PSI operation crew, who achieved a high extracted current with low losses while the flat-tops  
99 were switched off by accident. Since the flat-top system was –with an appropriate setup– no  
100 longer required to achieve a low energy spread, the phase was reversed so as to operate in  
101 an accelerating mode. This enabled a further increase in the energy gain per turn and hence  
102 to reduce the turn number  $N$ . A maximum beam current of 2.7 mA has been extracted from  
103 Injector II on beam dump and 2.4 mA in combination with the Ring cyclotron.

104 The flat-top resonators will be replaced, in an ongoing upgrade program, by two 50 MHz  
105 high-voltage resonators. This should further reduce extraction losses and allow for even higher  
106 beam currents. However, the vortex effect generates bunches in a meta-stable state and is sen-  
107 sitive to various possible distortions [31, 32]. Making use of the vortex effect in Injector II  
108 may be possible due to the very conservative layout of the cyclotron, including a strict isochro-  
109 nism, [30] with a central region equipped with various movable collimators to optimize the  
110 bunch formation and to eliminate the halo [21]. Injector II is the only production cyclotron  
111 world-wide that is known to take advantage of the vortex effect.

## 112 2.3 The Ring Cyclotron

113 In 1975, after one year of operation, the highest beam current on target was  $25 \mu\text{A}$ . The perfor-  
114 mance of the Ring cyclotron was steadily improved, especially the extraction efficiency. In the  
115 beginning, only a well-centered beam was able to pass the Walkinshaw-resonance without sub-  
116 stantial beam loss, as the beam had to pass the resonance four times before extraction [5, 33].  
117 A modification of the tune diagram by an improved setting of trim coils reduced this to two  
118 fast passages through the resonance and allowed relaxation of the requirement of beam cen-  
119 tering [34, 35]. This enabled a considerable increase in the turn separation at extraction by  
120 means of precessionally-enhanced turn separation. In December 1976 an extraction efficiency  
121 of 99.9% was achieved with a peak intensity of  $112 \mu\text{A}$  [4]. Ten years later, after the first com-  
122 missioning of the new pre-accelerators, a beam current of 1 mA was achieved with Injector II  
123 alone, and  $310 \mu\text{A}$  in combination with the Ring cyclotron.

124 In 1981, Werner Joho presented an analysis of high intensity problems in cyclotrons [36],  
125 known as Joho’s  $N^3$ -Law, which states that the loss dominated current limit  $I_{max}$  scales with  
126 the inverse third power of the number of turns  $N$ ,  $I_{max} \propto N^{-3}$ . This formula predicted the  
127 performance of the PSI Ring cyclotron of the following two decades with high accuracy [37,  
128 38].

129 An upgrade of the RF system of the Ring was required and initiated for another substantial  
130 intensity increase [39]. In parallel, a bunching system was built and commissioned in the  
131 870 keV injection line to better match the DC beam to the phase acceptance of Injector II [40,  
132 41]. The upgrade of the RF system allowed a significant reduction of the number of turns in  
133 the Ring cyclotron and an increase of the production current to 2.2 mA (test-wise in dedicated  
134 shifts up to 2.4 mA) and the beam power to 1.3 MW (1.4 MW), in good agreement with Joho’s  
135  $N^3$ -Law (see Figure 2.3). On full completion of the upgrade programs, which includes the  
136 replacement of the old 150 MHz flattop cavity, a beam current of 3 mA with a power of 1.8 MW  
137 should be within reach of both, Injector II [21] and the Ring cyclotron [42, 43].

## 138 2.4 Facility Performance

139 Every year, PSI has 1500-2000 user visits at the neutron source (SINQ), the muon source ( $S\mu S$ ),  
140 and the facilities for particle physics (CHRISP) including the UCN Source. During more than  
141 3000 instrument-days, over 800 experiments are performed each year. These user facilities




Figure 2.3: Joho's empirical law.

142 are all part of the HIPA facility which operates at a beam power of up to 1.42 MW. In the  
 143 following sections we describe the basic operation scheme of the facility and present the main  
 144 details of the experimental stations. The performance of the accelerator, i.e., the achievable  
 145 beam power, the availability, and its energy efficiency are also addressed.

#### 146 2.4.1 Operation Scheme

147 A typical year of operation starts in the beginning of May after the shutdown and ends on  
 148 Christmas with the next shutdown. The start of user operation may vary depending on the  
 149 duration of the necessary maintenance and planned upgrade. The beam time schedule is  
 150 compiled by the facility management in close collaboration with the user office of PSI. During  
 151 regular user operation, the accelerators are operated nonstop for 24 hours the day. With  
 152 the user operation starting in the beginning of May and ending at Christmas, the accelerator  
 153 facility typically provides 200 days of primary beam for experiments. After three weeks of  
 154 user operation, a maintenance period of two days is scheduled. In addition, two shifts of  
 155 beam development before and after each maintenance are carried out to reduce beam losses  
 156 and to improve the performance of the facility.

#### 157 2.4.2 Pion and Muon Production

158 The production of pions and muons is possible with beam sent either to the spallation neu-  
 159 tron target or to the beam dump. In the latter case, the maximum beam current extracted  
 160 from the Ring cyclotron is limited to 1.7 mA due to the cooling limitations of the beam dump.  
 161 Nevertheless, meson production is possible even though the spallation source may not be op-  
 162 erational. The meson targets provide secondary particles for the experimental facilities. The  
 163 performance of the meson facilities, i.e., the particle fluxes are given in Table 2.1.

Table 2.1: Particle types available at the meson experimental facilities. The rate is given in particles per second and per  $mA$  beam current and may vary with the selected momentum.

Target (thickness)	User facility	Particle type	Momentum range (MeV/c)	max. rate ( $s^{-1}mA^{-1}$ )
M (5mm)	$\pi M1$	$e/\pi/\mu/p$	10 – 450	$2 \cdot 10^8$
	$\pi M3.1-3$	$\mu$	10 – 40	$3 \cdot 10^6$
E (4 or 6cm)	$\pi E1$	$\pi/\mu/p$	10 – 450	$1 \cdot 10^9$
	$\pi E3$	$\mu$	10 – 40	$3 \cdot 10^7$
	$\pi E5$	$\pi/\mu$	10 – 120	$5 \cdot 10^8$
	$\mu E1$	$\mu$	60 – 120	$6 \cdot 10^7$
	$\mu E4$	$\mu$	10 – 40	$4 \cdot 10^8$

### 164 2.4.3 Neutron production

165 The main beam passes through the two graphite targets before striking the spallation neutron  
 166 target of SINQ so it has to be collimated due to a five-fold increase in beam emittance. For an E-  
 167 target thickness of 4(6) cm, about 70%(60%) of the beam current remains. The proton kinetic  
 168 energy is degraded to 570 MeV (565 MeV). The remaining beam is first bent downwards and  
 169 then sent back up vertically onto the spallation target. The thermal neutron flux scales with  
 170 the beam current and is approximately  $1.5 \cdot 10^{14} \text{ cm}^{-2}\text{s}^{-1}$  near the target.

171 The UCN facility was commissioned in 2010 and a measurement of the neutron electric  
 172 dipole moment, nEDM, began in 2011. For this experiment, the full 590 MeV beam is switched  
 173 periodically from the meson production targets to the UCN target with a fast-switching magnet.  
 174 Typically, the beam is switched every 12 minutes for 8 seconds. Both the pulse duration and  
 175 frequency can vary depending on the requirements of the experiments. This corresponds to a  
 176 duty cycle of approximately 1%. The pulse sequence is controlled by a software routine that  
 177 decreases the beam intensity by 20% roughly 2s before the kick. After switching on the kicker  
 178 magnet, the maximum intensity is then re-set to the nominal value during another 2s. The  
 179 reverse routine applies after the kick.

180 When the beam is switched back to the meson production and SINQ targets, the beam  
 181 current is lowered below 1 mA and then raised back to the maximum within 20s. This is done  
 182 to avoid high thermal stress to the targets, particularly the SINQ-target.

### 183 2.4.4 Isotope Production

184 The Injector II cyclotron can produce 72 MeV protons for the production of radioactive iso-  
 185 topes. Two operating modes are possible: An electrostatic beam splitter can split up to  $100 \mu A$   
 186 of the main beam, which is directed to the isotope production target along a dedicated beam-  
 187 line. In this case, both the isotope production beam and main beam onto meson and neutron  
 188 production targets can operate simultaneously. Alternatively, the full beam, limited to  $100 \mu A$ ,  
 189 can be sent to the isotope production target.

### 190 2.4.5 Accelerator Performance and Beam Intensity

191 The facility, originally designed for a maximum beam current of  $100 \mu A$ , has continuously been  
 192 improved to reach a maximum beam power of 1.42 MV, at present. The following section  
 193 describes the performance characteristics of the accelerator facility, in particular the beam  
 194 power and availability.

195 The maximum beam power is limited by the tolerable amount of proton losses during  
 196 acceleration to meet legal obligations and to avoid activation and damaging of accelerator




Figure 2.4: The maximum beam power achieved in the accelerator facility. In 1990 the facility was off line for the installation of new RF-amplifiers for the Ring cyclotron and the new meson production target station E including the beamline up to the beamdump.




Figure 2.5: History of the charge delivered per year to the meson production targets and the neutron spallation target SINQ.

197 components. Currently, PSI is authorized to extract a maximum beam current of 2.4 mA from  
 198 the Ring cyclotron, which has been achieved in the years 2011, 2012, 2015, and 2016. Fur-  
 199 thermore, PSI may increase the beam current to a maximum of 2.6 mA during dedicated beam  
 200 development shifts for eight hours every four weeks. Major steps in the increase of the beam  
 201 power were achieved by replacing the Injector I cyclotron with the Cockcroft-Walton and In-  
 202 jector II pre-accelerators in 1985, and by continuous upgrades of the RF systems starting in  
 203 1990. Newly designed meson production targets have been used since 1991 to tolerate the  
 204 thermal stress imposed by the higher beam power. After the commissioning of the spallation  
 205 neutron target SINQ in 1996, the beam power was increased from 826 to 885 kW.

206 Following the installation of the fourth and last new copper cavity in the Ring cyclotron,  
 207 the beam losses in the cyclotron were further reduced by increasing the peak voltage of each  
 208 accelerating cavity from 790 MV to 850 MV. A maximum beam current of 2.4 mA was extracted  
 209 on 20 June 2011 for the first time. The corresponding beam power of 1.42 MW was the highest  
 210 ever achieved with any accelerator at that time. In Figure 2.4, the increase of the beam power  
 211 for the years from 1974 to 2020 is shown.

212 The charge delivered on the meson and the neutron production targets scales with the  
 213 average beam current extracted from the Ring cyclotron and is shown in Figure 2.5.

214 The beam intensity in HIPA is limited by beam losses. As practical experience has shown,  
 215 the highest acceptable losses for hands-on maintenance are of the order of 100 W ( $10^{-4}$  for  
 216 1 MW of beam power) per location. A major contribution is scattering of halo particles in  
 217 the high voltage electrode of the extraction septum. Such losses are then distributed over  
 218 several meters of beamline elements and lead to activation with maximum dose rates of the  
 219 order of a few millisieverts per hour. Such dose rates are acceptable for service work and  
 220 handling components. For any further increase of the beam current, the relative losses in the  
 221 cyclotron and the beam line would have to be reduced inversely proportional to the intensity to  
 222 keep the activation at an acceptable level. The extremely high extraction efficiency of the PSI  
 223 Ring cyclotron is a property that was optimized to allow the operation with high intensities.  
 224 There are two key elements for low loss beam extraction: The generation of beam tails must  
 225 be suppressed as best as possible, and the turn separation at the extraction septum must be  
 226 maximized. In this way the density of halo particles at the position of the extraction septum is  
 227 minimized. For an isochronous cyclotron the radial increment of the orbit radius per turn can  
 228 be computed as

$$\frac{dR}{dn_t} = \frac{U_t}{m_0 c^2} \frac{\gamma R}{(\gamma^2 - 1) \nu_r^2}. \quad (2.1)$$

$$= \frac{U_t}{m_0 c^2} \frac{R}{(\gamma^2 - 1) \gamma}. \quad (2.2)$$

229 Here  $\gamma$  is the relativistic energy factor,  $\nu_r$  the radial tune,  $U_t$  the energy gain per turn and  $m_0$  the  
 230 rest mass of the proton. Clearly a high acceleration voltage helps, but one finds a very strong  
 231 reduction with  $\gamma$  for higher energies. Equation (2.1) illustrates the possibility to influence the  
 232 turn separation by weaker focusing over the outer turns of the cyclotron. This violates the  
 233 isochronous condition and is therefore only possible over a small number of turns. The second  
 234 line (2.2) is the more general relation, for which  $\nu_r \approx \gamma$ . We also note the scaling with the  
 235 extraction radius  $R$ , i.e. the size of the cyclotron. With an extraction radius of 4.5 m, the PSI  
 236 Ring cyclotron is one of the largest cyclotrons in the world. An effective way to increase the  
 237 turn separation at the extraction element is the introduction of orbit oscillations by deliberately  
 238 injecting the beam slightly off centre. When the phase and amplitude of the orbit oscillation  
 239 are chosen appropriately, and the behaviour of the radial tune is controlled in a suitable way,  
 240 the beam separation can be increased by a factor of three. This gain is equivalent to a cyclotron  
 241 three times larger and is thus significant. Figure 2.6 illustrates how this scheme is used in the



242 PSI Ring cyclotron. In [44], the beam profile in the outer turns was computed numerically for  
243 realistic conditions, and the results are in good agreement with measurements.

244 In Figure 2.7 the frequency of beam losses at a certain current is depicted for the user  
245 operation at 2 mA in 2010 and at 2.2 mA in 2015.

## 246 2.5 Operating Statistics

247 High beam power is important for precise measurements of short duration. However, the  
248 availability of a large research facility is often of even greater importance to users. In this  
249 section, we describe beam time statistics and outage characteristics.

250 The availability of the HIPA facility requires a beam current of at least 1 mA extracted  
251 from the Ring cyclotron during scheduled user operation. According to this definition, the  
252 accelerator availability is 100 % if the beam current measured at the meson production target  
253 is equal or greater 1 mA. The lower limit of 1 mA is used to meet the needs of the experimental  
254 facilities, which require at least this current for performing meaningful measurements. A beam  
255 current of least 700  $\mu\text{A}$  onto the spallation target is required for neutron experiments. This  
256 corresponds to 1 mA of beam current extracted from the Ring cyclotron. The lowest beam  
257 current considered as useful for the user community has been raised from 150  $\mu\text{A}$  to 1000  $\mu\text{A}$   
258 in 2001. An outage of the spallation neutron target SINQ does not affect the availability of  
259 the accelerator since the collimated beam after the graphite targets can be sent onto the beam  
260 dump. Figure 2.8 shows the availability from 1974 to 2020.

261 A short interruption refers to outages lasting less than five minutes. The average number  
262 of short interruptions per year is roughly 15000, but it varies by more than a factor of seven  
263 as shown in Figure 2.9.

264 After the replacement of the first aluminium cavity with a copper cavity in the Ring cy-  
265 clotron in 2005, major problems were experienced with the electrostatic elements in the cy-  
266 clotron. Stable operation was not possible during the first month after the yearly shutdown.  
267 Frequent discharges, especially of the electrostatic injection device, made it impossible to tune  
268 the accelerator to sufficiently high beam currents. The injection device had to be replaced  
269 several times due to damage to the insulators supporting the cathode, caused the discharges.  
270 RF-power decoupled from the new copper cavity was causing the problems. Two different ef-  
271 fects were determined to induce the discharges. On the one hand, RF-power decoupled from  
272 the cavity is absorbed by the electrodes of the electrostatic element which leads to the accu-  
273 mulation of charge on the electrodes, creation of halos, and secondary electron emission. In  
274 2014 on the other hand, the high amount of short interruptions was mainly caused by plasma  
275 phenomena in the Ring cyclotron. The decoupled RF-power from the flattop cavity resonantly  
276 excites secondary electron emission in between the magnet poles of the neighbouring sector  
277 magnet. These electrons in turn hit the surface of the trim coils of the magnet and produce  
278 ions that stray in the vacuum chamber and are attracted by the electric field of the electrostatic  
279 elements. This leads to vapor deposition of conductive material on the insulators that support  
280 the cathode and thus discharges of the electrostatic elements. To mitigate this effect, an alu-  
281 minium shroud was attached to the electrostatic devices to shield the RF-power and screen it  
282 from straying ions.

283 Though recovery from a discharge of the electrostatic elements may occur within several  
284 milliseconds, the automatic ramping up of the accelerators lasts between 20 to 30 seconds.  
285 Therefore, short interruptions may have a non-negligible impact on the yearly availability.  
286 Assuming an average of 15000 short interruptions per year the aggregate downtime constitutes  
287 approximately 80 hours. Given 5000 hours of user operation, this results in a loss of availability  
288 of 1.6 %

289 In Figure 2.10, the accumulated outage characteristics for 2004 through 2020 are shown.  
290 The most prominent events causing outages are site cooling (15 %), radio frequency systems




Figure 2.6: Principle scheme of betatron oscillations of the center of the beam around a closed orbit can be utilized to maximize the beam separation at extraction. Important is only the relation between turn-separation and beam width. The 'stepwidth'  $\Delta R$  is the distance between turns for betatron amplitude zero. The upper plot shows the beam density along the radius, which is a superposition of Gaussian profiles. In the lower half, the clockwise-rotating phase space vector of the centroid of the beam is shown for each turn. The reduction of the radial tune to  $\approx 1.5$  on the last turns is essential for the intended operation of this scheme.




Figure 2.7: Relative losses in the Ring cyclotron during two different operation scenarios. The upper graph depicts the relative losses during the operation in 2015 with a beam current of 2.2 mA for standard operation and 2.4 mA for beam development shifts, respectively. The average loss current at 2.4 mA is approx. 230(44) nA and thus two times higher than at 2.2 mA. Due to the Injector II upgrade, the beam current was limited to 2.0 mA in 2018. The average losses at this current are approx. 82(25) nA




Figure 2.8: Availability of the high intensity proton accelerator facility for the years from 1974 to 2020. The black curve represents the average availability.




Figure 2.9: Total number of short interruptions for the years 2004 to 2020 (hatched). The solid bars denote the relative number of short interruptions normalized to the number of scheduled days of user operation, i.e., average number of short interruptions (< 5 min.) per day.

291 (13%), and targets (12%). Although this does not reflect the characteristics related to each year of operation, it is a guideline for risk management and stock-keeping of spares.




Figure 2.10: Accumulated outage characteristics for the High Intensity Proton Accelerator facility for the years 2004 to 2020.

292

## 293 2.6 Grid Power Consumption and Energy Efficiency

294 The experiments at HIPA require highest intensity particle beams for precise measurements.  
 295 Producing a megawatt proton beam requires the consumption of several megawatts of electrical  
 296 power. The goal of further upgrades will be to achieve higher particle flux, rates, bright-  
 297 ness, and luminosity, which will require even greater power. Concurrently, the growing global  
 298 energy consumption challenges the energy efficiency of any technology including accelerator-  
 299 driven research facilities. Inevitably, a discussion on improving the energy efficiency of the  
 300 existing facility presents itself. In this section, the energy efficiency of HIPA will be discussed  
 301 in detail. Furthermore, it will be shown that by increasing the beam power an even higher  
 302 energy efficiency may be achieved.

303 Figure 2.11 shows the power consumption break down of the proton facility. The overall  
 304 power consumption of the facility in routine operation at 2.2 mA beam current is approxi-  
 305 mately 12.5 MW. The 5.4 MW of the RF-to-beam power conversion dominates the power con-  
 306 sumption. This value scales roughly linearly with beam power (see Figure 2.12): the power  
 307 consumption of the magnets and auxiliary systems, e.g., cooling, conventional systems, and  
 308 instruments is virtually independent of the beam power.

309 With a beam power of up to 1.3 MW and a total power consumption of 12.5 MW, the en-  
 310 ergy efficiency of the facility is 11%. This does not reflect the energy efficiency of the bare  
 311 accelerator, as all experimental facilities (IP2, UCN, SINQ, and all secondary beamline experi-  
 312 ments) that require electrical power contribute to the total power consumption. In a detailed  
 313 study [45], the power consumption of each subsystem (RF-System, magnets, and infrastruc-  
 314 ture) required only for beam production, was analyzed. According to this study, a minimum  
 315 of 7.12 MW of power from the power grid is required for a beam current of 2.2 mA. Thus, the




Figure 2.11: Breakdown of the power flow in the Proton Accelerator facility for a beam current of 2.2 mA.




Figure 2.12: Grid to beam power conversion as a function of the beam current. The measurements (red) were recorded with a fixed cavity voltage of each 850 kV. The black line denotes a linear regression of the data. Extrapolated to 3 mA of beam current, a power of 21.2 MW from the grid would be needed.

316 energy efficiency of the bare accelerator is 18%. One might expect the energy efficiency of  
 317 the facility to increase linearly with beam power, corresponding to the linear behavior of the  
 318 RF- to beam power conversion denoted in Figure 2.12. However, the power consumption  $P_{RF}$   
 319 of the RF-System was measured as a function of the beam current keeping the voltage of the  
 320 accelerating cavities constant (850 kV per cavity). According to the empirical law of Joho [36]  
 321 the number of turns in a cyclotron has to be reduced to achieve higher beam currents. This,  
 322 in turn, is only possible by increasing the peak voltage  $V_{acc}$  of the accelerating cavities. Since  
 323 the wall losses  $P_{loss}$  in a cavity scale with  $V_{acc}^2/2R$  (where  $R$  is the shunt impedance of the cav-  
 324 ities), correspondingly more electrical power is needed to increase the beam current. Since  
 325  $P_{RF} = P_{loss} + k \cdot P_{beam}$  where  $k$  is the efficiency of the RF-amplifier chain, this results in a  
 326 non-linear behavior of the RF- to beam power conversion. The considerations in the following  
 327 section will proof that increasing the beam current by reducing the number of turns in the  
 328 cyclotron will nevertheless increase the energy efficiency of the accelerator facility.

329 The efficiency  $\eta_{acc}$  of the bare accelerator is defined as the ratio of the beam power  $P_{beam}$   
 330 and the total power  $P_{tot}$  needed to operate the accelerator. In a simplified model,  $P_{tot}$  is  
 331  $P_{loss} + k \cdot P_{beam} + P_{aux}$ . The power consumption  $P_{aux}$  of the magnets and auxiliary system, e.g.,  
 332 cooling, conventional systems, and instruments is virtually independent of the beam power.  
 333 Therefore, the efficiency of the accelerator is

$$\eta_{acc} = \frac{P_{beam}}{P_{loss} + P_{aux} + k \cdot P_{beam}}. \quad (2.3)$$

334 As the maximum current  $I_{max}$  extracted from a cyclotron is proportional to  $1/N^3$  [36], the  
 335 number of turns  $N$  is

$$N = \frac{E_{kin}}{q \cdot V_{acc} + P_{aux} + k \cdot P_{beam}}, \quad (2.4)$$

336 where  $E_{kin}$  is the kinetic energy of the particles and  $q$  their charge. Thus

$$I_{max} \approx \frac{q^3 \cdot V_{acc}^3}{E_{kin}^3} \text{ and } V_{acc} \approx \frac{E_{kin}}{q} \cdot \sqrt[3]{I_{max}}. \quad (2.5)$$

337 The efficiency of the accelerator as a function of the beam current can then be deduced to be

$$\eta_{acc} \approx \frac{I \cdot E_{kin}}{\frac{I^{\frac{2}{3}} \cdot E_{kin}^2}{2 \cdot R \cdot q} + I \cdot E_{kin} + q \cdot P_{aux}}. \quad (2.6)$$

338 As the denominator contains the beam current with an exponent of  $\leq 1$  the efficiency will  
 339 increase with the beam current. With the actual setup of the Ring cyclotron, i.e., cavity voltages  
 340 of  $V_{acc} = 850$  kV and a beam current of 2.4 mA, the efficiency is 0.18, which is the highest  
 341 for any high power accelerator existing to date [46]. By increasing the beam current to the  
 342 ultimate goal of 3.0 mA at a cavity voltage of 1 MV an efficiency 0.21 could be achieved. This  
 343 is feasible at PSI, since the RF-system is designed for a peak voltage of up to 1.2 MV. The  
 344 limitation of 850 kV and thus the maximum beam current is given by the flattop cavity system.  
 345 Currently, the maximum flattop voltage is 550 kV corresponding to the necessary 11% of the  
 346 main cavity voltage. For an operation at higher voltages the flattop system, including the cavity  
 347 and the amplifiers, would have to be replaced. It is important to note, that these values are  
 348 valid for the specific setup of the Ring cyclotron, i.e., four accelerating cavities with a given  
 349 shunt impedance  $R$ . If the acceleration voltage or the energy gain per turn respectively were  
 350 distributed among 8 cavities, the wall losses per cavity would be lower. If calculated for eight  
 351 cavities, the efficiency would be 0.2 at 2.4 mA. It is obvious that the shunt impedance  $R$  is

352 one of the main parameters to optimize the efficiency at a given gap voltage. In fact, the  
353 shunt impedance only depends on the geometry and choice of material of the cavity and is,  
354 therefore, the parameter to optimize. This is an important consideration for future cyclotron  
355 based accelerator driven systems.

## 356 References

- 357 [1] J. P. Blaser and H. A. Willax, *Progress report on the 500 MeV isochronous cyclotron meson*  
358 *factory of ETH Zurich*, In F. Howard, ed., *4th International Conference on Isochronous*  
359 *Cyclotrons (Cyclotrons '66)*, vol. 13, pp. 194–213. IEEE, ISBN 978-3-95450-098-7 (1966).
- 360 [2] H. A. Willax, *Proposal for a 500 MeV isochronous cyclotron with ring magnet*, In F. Howard  
361 and N. Vogt-Nilsen, eds., *CERN Report 63-19*, pp. 386–397. CERN, ISBN 978-3-95450-  
362 086-4 (1963).
- 363 [3] H. A. Willax, *Status report on S.I.N.*, In McIlroy [47], pp. 58–72 (1969).
- 364 [4] W. Joho, M. Olivo, T. Stambach and H. Willax, *The SIN accelerators, operational expe-*  
365 *rience and improvement programs*, In *Proceedings, 1977 Particle Accelerator Conference:*  
366 *Accelerator Engineering and Technology*, vol. 24, pp. 1618–1621. IEEE, New York (1977).
- 367 [5] W. Joho, *The S.I.N. Ring cyclotron after one year of operation*, In F. E. Mills, ed., *Proceedings,*  
368 *1975 Particle Accelerator Conference, Accelerator Engineering and Technology*, vol. 22, pp.  
369 1397–1401. IEEE, New York (1975).
- 370 [6] W. Joho, *Recent and future developments at S.I.N.*, In *Proceedings, 1979 Particle Accelerator*  
371 *Conference: Accelerator Engineering and Technology*, vol. 26, pp. 1949–1957. IEEE, New  
372 York (1979).
- 373 [7] C. Baumgarten, A. Barchetti, H. Einkenkel, D. Goetz and P. A. Schmelzbach, *A compact elec-*  
374 *tron cyclotron resonance proton source for the paul scherrer institute's proton accelerator fa-*  
375 *ility*, *Review of Scientific Instruments* **82**(5), 053304 (2011), doi:[10.1063/1.3590777](https://doi.org/10.1063/1.3590777),  
376 <https://doi.org/10.1063/1.3590777>.
- 377 [8] D. Kisselev, P. Duperrex, S. Jollet, D. Laube, D. Reggiani, R. Sobbia and V. Talanov, *These*  
378 *Proceedings* (2021).
- 379 [9] Y. Dai and G. S. Bauer, *Status of the first sinq irradiation experiment, stip-i*, *J. Nucl. Mat.*  
380 **296**, 43 (2001).
- 381 [10] W. Wagner, J. Mesot, P. Allenspach, G. Kuehne and H. M. Ronnow, *The swiss spallation*  
382 *neutron source sinq developments and upgrades for optimized user service*, *Physica B* **385-**  
383 **386**, 968 (2006).
- 384 [11] G. S. Bauer, *Operation and development of the new spallation neutron source sinq*  
385 *at the paul scherrer institut*, *Nuclear Instruments and Methods in Physics Re-*  
386 *search Section B: Beam Interactions with Materials and Atoms* **139**(1), 65 (1998),  
387 doi:[https://doi.org/10.1016/S0168-583X\(97\)00956-7](https://doi.org/10.1016/S0168-583X(97)00956-7).
- 388 [12] W. Wagner, Y. Dai, H. Glasbrenner, M. Grosse and E. Lehmann, *Status of sinq, the only*  
389 *mw spallation neutron source—highlighting target development and industrial applications*,  
390 *Nucl. Instr. Meth. A* **562**(2), 541 (2006).

- 391 [13] B. B. *et al*, *The swiss spallation neutron source sinq at paul scherrer institut*, *Neutron News*  
392 **20**(3), 5 (2009).
- 393 [14] A. Anghel, F. Atchison, B. Blau, B. van den Brandt, M. Daum, R. Doelling, M. Dubs,  
394 P.-A. Duperrex, A. Fuchs, D. George, L. Gültl, P. Hautle *et al.*, *The psi ultra-cold neu-*  
395 *tron source*, *Nuclear Instruments and Methods in Physics Research Section A: Ac-*  
396 *celerators, Spectrometers, Detectors and Associated Equipment* **611**(2), 272 (2009),  
397 doi:<https://doi.org/10.1016/j.nima.2009.07.077>, Particle Physics with Slow Neutrons.
- 398 [15] G. Bison, B. Blau, M. Daum, L. Göltl, R. Henneck, K. Kirch, B. Lauss, D. Ries, P. Schmidt-  
399 Wellenburg and G. Zsigmond, *Neutron optics of the psi ultracold-neutron source: char-*  
400 *acterization and simulation*, *The European Physical Journal A* **56**(2), 33 (2020),  
401 doi:[10.1140/epja/s10050-020-00027-w](https://doi.org/10.1140/epja/s10050-020-00027-w).
- 402 [16] B. Lauss and the PSI UCN Project Team, *Commissioning of the new high-intensity ultra-*  
403 *cold neutron source at the paul scherrer institut*, *Journal of Physics: Conference Series*  
404 **312**(052005) (2011).
- 405 [17] B. Lauss, *Startup of the high-intensity ultracold neutron source at the paul scherrer institute*,  
406 In P. Bühler, O. Hartmann, K. Suzuki, E. Widmann and J. Zmeskal, eds., *Proceedings of*  
407 *EXA 2011*, pp. 297–301. Springer, Dordrecht, Netherlands, ISBN 978-94-007-4890-3  
408 (2012).
- 409 [18] B. Lauss, *Ultracold neutron production at the second spallation target of the paul scherrer*  
410 *institute*, *Physics Procedia* **51**, 98 (2014).
- 411 [19] R. M. Bergmann, U. Filges, D. Kiselev, T. Reiss, V. Talanov and M. Wohlmuther, *Upgrades*  
412 *to the sinq cold neutron source*, *J. of Phys. Conf. Ser.* **746**, 012035 (2015).
- 413 [20] D. Anicic, M. Daum, G. Dzieglewski, D. George, M. Horvat, G. Janser, F. Jenni, I. Jirousek,  
414 K. Kirch, T. Korhonen, R. Künzi, A. Mezger *et al.*, *A fast kicker magnet for the PSI 600MeV*  
415 *proton beam to the PSI ultra-cold neutron source*, *Nuclear Instruments and Methods*  
416 *in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated*  
417 *Equipment* **541**(3), 598 (2005), doi:<https://doi.org/10.1016/j.nima.2004.12.032>.
- 418 [21] A. Kolano, A. Adelman, R. Barlow and C. Baumgarten, *Intensity limits of the PSI injector*  
419 *II cyclotron*, *Nucl. Instrum. Meth. in Phys. Res. A* **885**, 54 (2018).
- 420 [22] M. M. Gordon, *The longitudinal space charge effect and energy resolution*, In McIlroy [47],  
421 pp. 305–317 (1969).
- 422 [23] A. Chabert, T. Luong and M. Promé, *Separate sector cyclotrons beam dynamics*, In W. Joho,  
423 ed., *Proceedings of the 7th International Conference on Cyclotron and their Applications*,  
424 pp. 245–247. Birkhäuser, Basel CH, ISBN 978-3-95450-159-5 (1975).
- 425 [24] C. Chasman and A. J. Baltz, *Space charge effects in a heavy ion cyclotron*, *Nucl. Instr.*  
426 *Meth.* **219**, 279 (1984).
- 427 [25] S. Adam, *Calculation of space charge effects in isochronous cyclotrons*, In A. Strathdee,  
428 ed., *Proceedings of the 1985 Particle Accelerator Conference (PAC1985)*, vol. 32, pp. 2507–  
429 2509. IEEE, Piscataway, NJ, doi:[10.1109/TNS.1985.4333654](https://doi.org/10.1109/TNS.1985.4333654) (1985).
- 430 [26] R. Koscielniak and S. Adam, *Simulation of space-charge dominated beam dynamics in*  
431 *an isochronous avf cyclotron*, In S. T. Corneliussen and L. Carlton, eds., *Proceedings of*  
432 *the 1993 Particle Accelerator Conference (PAC 93)*, pp. 3639–3641. IEEE, Piscataway, NJ,  
433 ISBN 9780780312036 (1993).



- 434 [27] S. Adam, *Space charge effect in cyclotrons - from simulations to insights*, In Comell [48],  
435 pp. 446–448 (1995).
- 436 [28] J. J. Yang, A. Adelman, M. Humbel, M. Seidel and T. J. Zhang, *Beam dy-*  
437 *namics in high intensity cyclotrons including neighboring bunch effects: Model, im-*  
438 *plementation, and application*, Phys. Rev. ST Accel. Beams **13**, 064201 (2010),  
439 doi:[10.1103/PhysRevSTAB.13.064201](https://doi.org/10.1103/PhysRevSTAB.13.064201).
- 440 [29] E. Pozdeyev, J. A. Rodriguez, F. Marti and R. C. York, *Longitudinal beam dynamics studies*  
441 *with space charge in small isochronous ring*, Phys. Rev. ST Accel. Beams **12**, 054202  
442 (2009), doi:[10.1103/PhysRevSTAB.12.054202](https://doi.org/10.1103/PhysRevSTAB.12.054202).
- 443 [30] C. Baumgarten, *Transverse-longitudinal coupling by space charge in cyclotrons*, Phys. Rev.  
444 ST Accel. Beams **14**, 114201 (2011), doi:[10.1103/PhysRevSTAB.14.114201](https://doi.org/10.1103/PhysRevSTAB.14.114201).
- 445 [31] C. Baumgarten, *Transverse-longitudinal coupling by space-charge in cyclotrons*, In J. Thom-  
446 *son and V. Schaa, eds., Proceedings of the 20th International Conference on Cyclotrons and*  
447 *their Applications*, pp. 315–319. JaCoW, ISBN 978-3-95450-128-1 (2013).
- 448 [32] C. Baumgarten, *Factors influencing the vortex effect in high-intensity cyclotrons*, In L. Con-  
449 *radie, J. G. De Villiers and V. R. W. Schaa, eds., Proceedings of the 22nd International*  
450 *Conference on Cyclotrons and their Applications*, pp. 270–274. JACoW, Geneva, Switzer-  
451 land, ISBN 978-3-95450-205-9 (2019).
- 452 [33] *SIN annual report*, Swiss Institute for Nuclear Research (S.I.N.), Villigen, Switzerland.  
453 (1974).
- 454 [34] *SIN annual report*, Swiss Institute for Nuclear Research (S.I.N.), Villigen, Switzerland.  
455 (1975).
- 456 [35] Y. Bi, A. Adelman, R. Dölling, M. Humbel, W. Joho, M. Seidel and T. Zhang, *Challenges*  
457 *in simulating mw beams in cyclotrons*, In A. Adelman, J. Chrin, M. Marx, V. R. W. Schaa  
458 *and M. Seidel, eds., Proceedings of the 46th ICFA Advanced Beam Dynamics Workshop on*  
459 *High-Intensity and High-Brightness Hadron Beams (HB2010)*, pp. 295–299. PSI, Villigen,  
460 Switzerland (2011).
- 461 [36] W. Joho, *High intensity problems in cyclotrons*, In G. Gendreau, ed., *Proceedings of the 9th*  
462 *International Conference on Cyclotron and their Applications*, pp. 337–47. Les Editions de  
463 Physique, BP 112, 91402 Orsay (France), ISBN 978-3-95450-160-1 (1981).
- 464 [37] T. Stambach, S. Adam, H. R. Fitze, W. Joho and U. Schryber, *Potential of cyclotron based*  
465 *accelerators for energy production and transmutation*, Int. Conf. on Acc.-Driven Transmut.  
466 Techn. and Appl. pp. 229–235 (1995), doi:[10.1063/1.49093](https://doi.org/10.1063/1.49093), AIP Conf. Proc. 346, 1995.
- 467 [38] U. Schryber, S. Adam, T. Blumer, J. Cherix, H. Fitze, H. Frei, D. George, G. Heidenreich,  
468 M. Humbel, I. IIROUSEK, W. Joho, M. Marki *et al.*, *High power operation of the PSI*  
469 *accelerators*, In Comell [48], pp. 32–35 (1995).
- 470 [39] W. Joho, *High intensity beam acceleration with the SIN cyclotron facility*, In M. Sekiguchi,  
471 Y. Yano and K. Hatanaka, eds., *Proceedings of the 11th International Conference on Cy-*  
472 *clotron and their Applications*, pp. 31–37. Ionics Publ., Tokyo (1987), ISBN 978-3-95450-  
473 166-3 (1986).

- 474 [40] J. Stetson, S. Adam, M. Humbel, W. Joho and T. Stambach, *The commissioning of PSI*  
475 *injector 2 for high intensity, high quality beams*, In G. Dutto and M. Craddock, eds.,  
476 *Proceedings of the 13th International Conference on Cyclotrons and their Applications*, pp.  
477 36–39. World Scientific (1993).
- 478 [41] J. Grillenberger, M. Humbel, J. Y. Raguin and P. A. Schmelzbach, *Commissioning of the*  
479 *new buncher system in the 870 keV injection beamline*, In Refuggiato [49], pp. 464–466  
480 (2007).
- 481 [42] M. Seidel and P. Schmelzbach, *Upgrade of the psi cyclotron facility to 1.8 mw*, In Refuggiato  
482 [49], pp. 157–162 (2007).
- 483 [43] M. Seidel, J. Grillenberger and A. Mezger, *High intensity operation and control of beam*  
484 *losses in a cyclotron based accelerator*, In N. Zhao, J. Chrin, V. R. W. Schaa, C. Petit-Jean-  
485 Genaz, D. Ji and H. Yan, eds., *Proceedings of the 52nd ICFA Advanced Beam Dynamics*  
486 *Workshop on High-Intensity and High-Brightness Hadron Beams (HB2012)*, JACoW con-  
487 ferences, pp. 555–559. JACoW, Geneva, Switzerland (2013).
- 488 [44] Y. J. Bi, A. Adelmann, R. Dölling, M. Humbel, W. Joho, M. Seidel and T. J. Zhang, *Towards*  
489 *quantitative simulations of high power proton cyclotrons*, *Phys. Rev. ST Accel. Beams* **14**,  
490 054402 (2011).
- 491 [45] A. Kovach, A. Parfenova, J. Grillenberger and M. Seidel, *Energy efficiency and saving*  
492 *potential analysis of the high intensity proton accelerator HIPA at PSI*, *Journal of Physics:*  
493 *Conference Series* **874**, 012058 (2017).
- 494 [46] J. Grillenberger, S.-H. Kim, M. Yoshii, M. Seidel and V. Yakolev, *The energy efficiency*  
495 *of high intensity proton driver concepts*, In V. R. W. Schaa, G. Arduini, M. Lindroos and  
496 J. Pranke, eds., *Part 2, Proceedings of the 8th International Particle accelerator Conference*  
497 *(IPAC 2017)*, vol. 874, pp. 4842–4847. JACoW, Geneva, Switzerland (2017).
- 498 [47] R. McIlroy, ed., *Proceedings of the 5th International Conference on Cyclotrons and their*  
499 *Applications*. Butterworth London (1971), ISBN 978-3-95450-102-1 (1969).
- 500 [48] J. Comell, ed., *14th International Conference on Cyclotrons and their Applications*. World  
501 Scientific (1995).
- 502 [49] D. Refuggiato, ed., *18th International Conference on Cyclotrons and their Applications*.  
503 INFN - LNS Catania, Italy (2008), ISBN 978-3-95450-041-3 (2007).